



DECSTAR

TARGETED APPLICATIONS

- HVAC appliances such as furnaces, fan coil units, packaged units, ground coupled heat pumps, etc, up to 2000CFM capacity

SPECIFICATIONS

- High Efficiency Blower (HEB) housing with impeller driven by Axial Flux BLAC motor with full featured Sinusoidal EON motor control technology
- 10" diameter wheel with various widths available
- 2 Patents issued on the unique geometry blower. Other patents pending on the Halo motor system
- Operating speed range of 250-1400 rpm
- 16 pin Thermostat and PWM input to control
- Variable speed, constant torque/constant airflow ECM
- 120/240/277 and 120/240 VAC single-phase input, 50/60Hz
- UL & cUL recognized system

FEATURES

- Motor system has a shaft-less rotor system that allows the impeller to be hub-less.
- Standard Triangle motor mounts with welded on brackets support the motor
- Heavy duty welded aluminized steel is standard on blower assembly
- Uses proven industry standard impellers
- Typically fits same mounting as existing blower
- 6kV surge protection
- ECM Toolbox™ based programming

BENEFITS

- Saves 15% - 35% watts as compared to standard technology blowers with traditional ECM's
 - Reach next SEER level
 - Or use efficiency gain to remove coils and bring down full system cost
- Unique blower system removes motor from blower inlet eliminating restriction and improving system efficiencies
- Patented HEB design gives blower housing ultimate CFM for input watts
- Uniform airflow - same on both sides of blower unlike traditional system with motor restricting one side of blower
 - Improves Heat Transfer and reduces hot spots
 - Reduces pressure drop across appliance
- Air Handlers - Blower system reduces Velocity Head Losses, system savings highlighted in these low pressure applications
- Furnaces - Large exhaust, low inlet restriction and balanced uniform flow improves heat transfer characteristics and reduces pressure loss
- Full assembled system:
 - Improves system calibration - now whole system comes calibrated instead of motor only
 - Reduces finished goods inventory, WIP, and labor expenses
 - Reduces shipping expenses of multiple parts
 - Pallet location reduction in warehouse
 - Total unit weight reduction of approx 6lbs

AVAILABILITY


- Production ready

1325 Heil Quaker Boulevard
LaVergne, TN 37086
PH: 615-793-6781

thedealertoolsbox.com


A Regal Rexnord Brand

Regal
Rexnord
www.regalrexnord.com






DECSTAR

10x10 PERFORMmANCE CURVES



10x8 PERFORMmANCE CURVES



- 100% Torque
- 75% Torque
- 50% Torque
- 25% Torque

1325 Heil Quaker Boulevard
 LaVergne, TN 37086
 PH: 615-793-6781

thedealertools.com

A Regal Rexnord Brand

